

technical data

Colour - Charcoal grey

Ratio - 1:1 by volume

Viscosity - (Charcoal grey Polyol) at 23°C - 1650±500mPa.s

Viscosity - (Natural NCO) at 23°C - 1300±500mPa.s

Gel Time - Approx 20 -30 seconds when sprayed

Tack Free Time - Approx 10 seconds when sprayed

Spray - 2K spray at 60°C and 2000 - 3000 psi

Tensile Strength - $\mu 6 \text{ N/mm}^2$

Elongation - $\mu 350\%$

Modulus - 18 Mpa

Shore A Hardness - 90

Shore D Hardness - 38

Coverage - 1.7 - 6kg.m²